Coast Guard, DHS § 28.905

maintained and available to Coast Guard representatives upon request.

§ 28.890 Examination and certification of compliance.

(a) At least once in every two years each ATA vessel must be examined for compliance with the regulations of this subchapter by the ABS, a similarly qualified organization, or a surveyor of an accepted organization.

(b) Each individual performing an examination under paragraph (a) of this section, upon finding the vessel to be in compliance with the requirements of this chapter, must provide written certification of compliance to the owner or operator of the vessel.

(c) Each certification of compliance issued under paragraph (b) of this section must:

(1) Be signed by the individual that performed the examination;

(2) Include the name of the organization the individual performing the examination represents or the name of the accepted organization the individual belongs to; and

(3) State that the vessel has been examined and found to meet the specific requirements of this chapter.

(d) A certification of compliance issued under paragraph (b) of this section must be retained on board the vessel until superseded.

(e) A copy of the certification of compliance issued under paragraph (b) of this section must be forwarded by the organization under whose authority the examination was performed to the Coast Guard District Commander (Attention: Fishing Vessel Safety Coordinator) in charge of the district in which the examination took place.

§28.895 Loadlines.

- (a) A fish tender vessel of not more than 500 gross tons, engaged in the Aleutian trade, is not subject to the loadline provisions of 46 U.S.C. Chapter 51 if it is not on a foreign voyage and the vessel:
- (1) Operated in this trade before September 8, 1990; or
- (2) Was purchased to be used in this trade before September 8, 1990 and entered into service before June 1, 1992; and
- (3) Has not undergone a major conversion; and
- (4) Has not had a loadline assigned at any time before November 16, 1990.
- (b) The exemption from the loadline provision of 46 U.S.C. Chapter 51 set forth in paragraph (a) of this section expires on January 1, 2003.

§ 28.900 Post accident inspection.

The requirements for providing notice and reporting of marine casualties are contained in part 4 of this chapter. The owner of or master of the vessel shall ensure that the survey guidance provided by a Coast Guard Representative is effectively carried out, that the material and the workmanship of such repairs or renewals are in all respects satisfactory, and that the vessel complies in all respects with the regulations in this part.

§ 28.905 Repairs and alterations.

No repairs or alterations affecting the safety of the vessel with regard to the hull, machinery, or equipment, shall be made without the notification of a Coast Guard Representative.

INDEX

SUBCHAPTER C-UNINSPECTED VESSELS

EDITORIAL NOTE: This listing is provided for informational purposes only. It is compiled and kept current by the U.S. Coast Guard, Department of Homeland Security. This index is updated as of October 1, 2007.

Part, subpart, or section

\mathbf{A} Alarms: Approved, definition......24.10-1 \mathbf{R} Backfire flame control.......25.35 \mathbf{C} Canadian pleasure craft temporarily using navigable waters of the Carburetor backfire flame arrester (See Flame arrester)......25.35 Carrying freight for hire, definition......24.10-1 Cushion, buoyant (see Life preserver) D Distress Signals 28.145 \mathbf{E} Electrical power: Emergency source 28.375

46 CFR Ch. I (10-1-07 Edition)

Overcurrent protection 28.3 Standards for vessels less than 79 ft 28.3 Wiring methods and materials 28.3 Electronic position fixing devices 28.2 Embarkation station 28.3 Emergency checkoff list 26.03 Emergency instructions 28.2 EPIRBs 25.26, 28.1 Equivalents 24 Escape, means of 28.3	345 370 360 395 3-2 265 .50
Fire detection systems	25
Fireman's outfit	05
Fire protection equipment:	
Application)-1
Galley hood	ั้งกั
General provisions	60
General provisions 25.30-5, 26.1	.00
Excess equipment	55
Portable fire extinguishers	60
Fire pumps	15
First aid equipment and training28.2	10
Fixed fire extinguishing system:	
Approved type required 25.30)-5
Details 25 30-15 28 3	20
Approved type required 25.30 Details 25.30-15, 28.3 Special provisions when installed 25.30-	.20
Flame arrester:	20
Required	0.5
Required	33
Freight, carrying for hire, definition24.10)_ I
Fuel systems 28.3	, 1
2 401 5/500115	35
· ·	335
G	335
General alarm	240
General alarm	240
G	240
General alarm	240
General alarm	240
General alarm	335 240 215
General alarm	335 240 215
G General alarm	240 215 70
G General alarm	240 215 70
G General alarm	335 240 215 70 10 60
G General alarm	.70 .10 .60 0-1
G General alarm	.70 .10 .60 0-1
G General alarm 28.2 Guards for exposed hazards 28.2 H Hand portable fire extinguisher: Approved type required 25.30-5, 28. Classification 25.30- Number required 25.30-20, 28.1 Headquarters, definition 24.10 Hydraulic equipment 28.4	.70 .10 .60 0-1
General alarm	.70 .10 .60 0-1
General alarm	70 10 60 0-1 105
General alarm	70 -10 -60 0-1 -105
General alarm	70 -10 -60 0-1 -105
General alarm	70 -10 -60 0-1 -05 0-1
General alarm	70 -10 -60 0-1 105
General alarm 28.2 Guards for exposed hazards 28.2 H Hand portable fire extinguisher: Approved type required 25.30-5, 28. Classification 25.30-Number required 25.30-20, 28.1 Headquarters, definition 24.10 Hydraulic equipment 28.4 I International voyage: Requirement for vessels on 24. Definition 24.10 Instructions and drills 28.2 Immersion suits 25.25, 28.1	70 -10 -60 0-1 -105 -05 0-1 -270 -10
General alarm	70 -10 -60 0-1 -105 -05 0-1 -270 -10
General alarm 28.2 Guards for exposed hazards 28.2 H Hand portable fire extinguisher: Approved type required 25.30-5, 28. Classification 25.30-Number required 25.30-20, 28.1 Headquarters, definition 24.10 Hydraulic equipment 28.4 I International voyage: Requirement for vessels on 24. Definition 24.10 Instructions and drills 28.2 Immersion suits 25.25, 28.1 Injury placard 28.1	70 -10 -60 0-1 -105 -05 0-1 -270 -10
General alarm 28.2 Guards for exposed hazards 28.2 H Hand portable fire extinguisher: Approved type required 25.30-5, 28. Classification 25.30-Number required 25.30-20, 28.1 Headquarters, definition 24.10 Hydraulic equipment 28.4 I International voyage: Requirement for vessels on 24. Definition 24.10 Instructions and drills 28.2 Immersion suits 28.2 Injury placard 28.1	70 -10 -60 -1-10 -05 -1-10 -70 -10 -65
General alarm 28.2 Guards for exposed hazards 28.2 H Hand portable fire extinguisher: Approved type required 25.30-5, 28. Classification 25.30-Number required 25.30-20, 28.1 Headquarters, definition 24.10 Hydraulic equipment 28.4 I International voyage: Requirement for vessels on 24. Definition 24.10 Instructions and drills 28.2 Immersion suits 25.25, 28.1 Injury placard 28.1	70 -10 -60 -1-10 -05 -1-10 -70 -10 -65

Subchapter C Index

Approved type required 25.25-5. 28.105 Condition 25.25-11 Marking 25.25-7, 28.135 Number required 25.25-5, 28.110 Storage 25.25-9, 28.110(b) Lifesaving equipment: 25.25, 28.105, 28.305 Maintenance 28.140 Markings 25.25, 28.135					
M					
Machinery space, ventilation of					
Included under term vessel 24.10-1 Motor vessel, definition 24.10-1					
N					
- '					
Navigation: 28.225					
0					
Oceanographic vessel, definition					
P					
Passenger: 24.10-1 Definition 24.10-1					
${f R}$					
Radar equipment					
Regulations: 24.01, 28.10 Authority for and purpose 24.01, 28.10 Ring Life Buoys 25.25-5(d), 28.115					
${f S}$					
Safety orientation					
Classification					
Signaling lights26.03-10Special operating requirements26.03Stability instructions28.530Storm rails28.410					
Structural fire protection: General					

46 CFR Ch. I (10-1-07 Edition)

Vessels with more than 49 persons	
Survival Craft Equipment	
Launching	
Stowage	28.125
Type and number required	
T	
1	
Tank space, ventilation of	25.40-1, 28.340
v	
Ventilation of tanks and engine space	25.40-1, 28.340
Vessel, definition	24.10-1
Vest, work	
Approved unicellular plastic foam	
Stowage	
Use	